C

RENEWAL MONUMENT

From the circular strategies to heritage renovation

Huizhong Cao

Thesis for Urban Challenge MPDSD, Chalmers, Göteborg, Sweden

R C

E



RENEWAL MONUMENT

From the circular strategies to heritage renovation


© 2021 Huizhong Cao Chalmers University of Technology, SE-412 96 Göteborg, Sweden 2021

Examiner: Joaquim Tarraso, Architect SAR/ MSA & COAC, Director of Master's Programme in Architecture and Urban Design (MPARC). joaquim.tarraso@chalmers.se

Supervisor: Emílio da Cruz Brandão, Director of master's programme Architecture and Planning Beyond Sustainability(MPDSD) brandao@chalmers.se

KEYWORDS:

Circular business model, industrial heritage renovation, pedagogy, recycling, eco system service.



ABSTRACT

It is inevitable to judge the growth economy from two sides. On the one hand, it boosts economic growth, but on the other hand, the wealth gap, material exhaustion, and waste pollution have been even more severe than the surface prosperity. The linear economy pattern is based on over-consumerism; each year, we leave behind an average of almost 560kg of rubbish per capita. The circular economy is in calling.

New public space is needed to rethink about the principle of the built environment, especially those industrial heritage from a new sight, a more circular and sustainable way. The building in the city is no more needed to focus only on increment and entropy increase but in need of transformation and renewal. Besides, to adapt the old building stock

into the future circular economy, we must also adapt its original spatial qualities, facilities, structures, and functionalities to a more circular way. Thus, there is a complexity of different layers of circular principles that matter.

The design proposal is to transform an abandoned industrial heritage in Wuhan, called Hanyang Iron Works, into a spatial recycling experiential museum, including speculative design and conceptual drawing in the architectural and landscape design. Based on circular economy principles, the design is developed on six layers: circular business cycle, pedagogy cycle, eco-waste cycle, ecosystem service cycle, re-cycle, and material cycle. The six cycles are clarified as chart flow in the thesis

and then testified in the design phase. In the end, the design elements like water, eco waste, municipal waste attached to each layer will be evaluated to show its potential for the circular transformation methodology.

The larger find is that when we start to renovate an abandoned building stock in the city, the matter we care about will be the social or cultural aspect and more from a more complex and multi-dimensional consideration for a circular future. To renew a building to fit into a new urban challenge is the substance of urban mining.

JOURNEY NAVIGATION

Part 1

Introduction: The why and what of eco-circular renovation thinking

Part 2

Theory and approaches to circularity and ecodesign methods

Page 07. A What If Space

Page 15. Waste management, material over-extraction, carbon-neutral plan of China

Page 19. Manifesto on renovation for circular future, a call to rethink the eco-circular paradigm

Part 3

Eco-circular renovation set on six layers

Part /

How to realize the six layers, the practical tools for different cycles, systems, and product systems mapping on the site of Hanyang Iron Works Page 76. Reflection & Appendix More handcrafted drawings and perception on the project

Page 79. Reference

Resources and references that borrowed and guided throughout the thesis

Figure Reading Instruction:

The figures and images are orginal unless references are provided specifically.

HUIZHONG CAO

huizhongcao1@gmail.com +46704754499

ACADEMIC

Wuhan University (WHU), P. R.China 2014-2019 Bachelor in Architecture

Chalmers University of Technology 2019-2021 Master in Architecture and Urban Planning beyond Sustainability MPDSD

Studios: Architecture and Planning beyond Local context Sustainable Architecture Design Matter, Space, Structure



EXPERIENCE

ARCHITECTURAL INTERN 1 June.2019-Aug.2019 Arconnect Architecture Office Dali. Yunan Province. China

ASSISTANT ARCHITECT l Nov.2018-Dec.2018 Zhonghan International Architectural Design Co., Ltd. Qingdao, China

LANDSCAPE ARCHITECTURE INTERN 1 Oct.2018-Nov.2018 Innovative Urban Green, Tongji University Shanghai, China

Entreprenuership and Innovation

CO-FOUNDER & Sep.2019-Now Archihandi Innovation and Design studio Pedagogical recycling tools for kids

-participating in the incubator program at KTH with Yu Lin in Oct.2020.

CO-FOUNDER I June.2019-Aug.2019
Peel Workshop E-commerce shop Manage the customer service and quality control
-Ecommerce operation and develop the business on Alibaba platform

ACKNOWLEDGEMENT

Thanks a lot to my supervisor Emilio, who has assisted me with work management and mental support during the whole tutorial sessions, which enriches my thesis writing to be a pleasant and efficient process. I have experienced how pedagogical and memorable such a process could be.

Great thanks to my examiner Joaquim, who has been so coherent and responsible to give comprehensive suggestions that help me to develop a clear outline of the whole study. It has been inspiring and informative.

Thanks to Kengo for the thoughtful and wise advice. I got so moved when I watched the video recorded. I

have learned to be a special and confident designer with what I had on hand.

Great love and thanks to Liangyu Chen, who has helped me to achieve life-work balance and given me hundreds of transdisciplinary advice from Quantum Physics which involves graphics and simplified structure. I learned to be precise and simple at the same time though it takes great hard work to achieve the same height as you.

Besides, I also wanna give my gratitude to my friend Shiliang Zhang, who inspired me from machine learning aspects, and Juntian, who has supported me to emphasize the recycling issue of China. All my friends that we have discussed our projects with through the thesis writing, Prince, Yinan Huang, and Yige, and the groupmates of Urban Challenge, the lovely inspiration you have brought me is immeasurable. Special thanks to Naima, who have been so supportive and caring during the process, and help me out with patience and compassion.

Last but not least, I would like to say thank you to my family. The two-year studies record my growth abroad as it was the first time to leave you. But the love and care you have given me is so powerful and raises me up as when I was a kid.

Thank you!

Myself and those strong moments you create with me!






TO BECOME A CREATOR."

|V DESIGN PHASE: TRANSLATION & EXPERIMENT INTRODUCTION A what if space LOCAL CONTEXT Historical narrative of the site 34 Purpose & Aim 35 8 Situation of the site 9 **3**7 Methodology Site selection Perception of the site 10 Exsiting facilities & structure dictionary 41 Delimitation 11 Experiment & Design attempt 43 **||** BACKGROUND & CONTEXT A+B LAYER Circular business model + 50 13 Linear economy: outcome Pedagogy layer 14 Consquence on the waste management 56 Recycling + 15 Consquence on the material exhaustion Eco waste cycle layer 16 Circular growth economy in China Eco system service + 62 Manifesto 18 Sustainable building renovtation layer **III** CIRCULAR GROWTH TOOLKIT Complexity among social, ecological and 20 REFLECTION Rendering 73 economical aspects 77 Discussion Six layers for circular growth 21 **79** Reflection Architectural mining 28 80 Reference projects 29 Reference

INTRODUCTION

A what if space	7
Purpose & Aim	8
Methodology	9
Perception of the site	10
Delimitation	11



>>REDESIGNING **INDUSTRY LOGIC FROM BUILDING SCALE** TO BUSINESS SCALE.<<

A WHAT IF SPACE

The city will inevitably sprawl fast as the economy and policy-driven urbanism lead to centralism for higher efficiency and resource densification. The city has been acting like a giant energy plant and consumes and produces constant waste and transports those wastes out to the outskirts. The movement was also followed by the tearing down of old buildings, and to some extent, the removal of the memories and identities of the city. While the value of the linear economy is overestimated, we get used to **the process of extraction, alteration, destruction, and disposal**. The city gradually becomes excluded from the previous locality and will continue to do so as the vicious cycle keeps on.


While we are faced with the crucial loss of local identity, material shortage, and **resource exhaustion** in the coming future, we are at a leverage point to re-examine the linear economy pattern that only pursues after the maximization of financial profit. Instead, we should take into account the **social**, **ecological**, **and economical sustainability** as a whole in order to achieve a balance in the long term. With the transformation of mindset into a circular economy and rethinking of the position of ecological, the proposed plan could recuperate the loss of the city, which has been left in silent desperation and social anxiety (Bratman, 2019).

At this point in time, where we are urgently trying

to respect and redistribute natural resources, the evolution and transformation for a collective gain is an imperative part of our development(Acarolgu, 2018). We need to transform into a circular future of multiple values, ecological, cultural, economical aspects, and design for ethics, equity, regeneration, sustainability, and ecosystem remediation.

As the circular economic thinking has been fueled and inspired by the reflection of reductive industrialization, the abandoned industrial heritage in the city center has aroused my interest to apply creative and **regenerative systems** to transform, design and test on. The design project will be a testbed to showcase the different layers that are embedded in the social, ecological, and economical sustainability, and how we could use the **circular thinking toolkit** as a method of transformation to apply and realize the circular future for the industrial civilization that has lived past its time of glory.

MAIN QUESTIONS/OBJECTIVES




SYSTEMATIC CIRCULARITY

PURPOSE

My main motivation of creating such a "Renewal Monument "in China is for the reason that I have seen the booming of public space emerging in China for years just to boost capitalism and consumption. There is a lack of pedagogical public space to be compatible with sustainable lifestyles and encourage to live for sharing. China has established its goal to achieve "Carbon Neutrality by 2060" which needs a transformation of industrial upgrading and lifestyle changes. Therefore, my purpose is to contribute to such grand effort by pioneering a renovation project of industrial heritage in Wuhan, China. That is why I have chosen Hanyang Ironworks as the testbed. not only for the familiarity but also its status as the symbols of the "awakening of industry" of China.

AIM

To build a spatial recycling experiential museum, transformed from a factorial heritage that is the Hanyang Iron works, is to make recycling process visible, accessible, pedagogical and interactive. On top of that, the natural composting and circulation process are invited, to not only follow its original ecoduct remediation function, but also give inspiration to the industrial cycle and upgrading. The site is going to be a speculative design on the complexity of social, ecological and economical aspects of circular economy.



METHODOLOGY

I have been thinking about various aspects when we design a building with respect to the surrounding natural elements. We could say that we have carried out the motto "Architecture follows nature", but I still try to find a concept starting from economic shift to explain how we could manifest an eco-based architecture following circular principles. In the thesis, I started from the foundation of the current linear business model in consumption patterns and construction aspects. From there, guided by the circular economy principles, six aspects of circular design methods have been distributed to different aspects of the site. They cover social, economical, and ecological aspects of the whole life cycle of the building. To anchor on the main principle of the circular economy model, the site is chosen to be an abandoned industrial heritage that is in need of transformation, reuse, and renewal. The methodology applied in the thesis are as following:

SITE INVESTIGATION AND MODELING:

The site model is based on the previous on-site study, mapping and photographing from aeroscape and viewscape. It is established to build a material bank and existing facilities of the site to simulate the actuarial situation of the site. The site model is an information bank and design testbed to iterate and showcase how every sketch and relevant toolbox application, could easily transform inspiration into renderings in order to visualize the result.

COLLAGES AS THE BASE OF CREATION:


The collages are based on the photography of the site and the integration with digital models. It aims to showcase what the actuarial situation of the site is and display the flow of different cycles. To collage multiple angles and layers, we could have a perspective section, a bird view of the site, and a viewscape hybrid of photography and digital models. These materials could be utilized to to show the current flow of the site and how it has been adapted and transformed.

HAND SKETCHES AS EXPRESSION TOOL:

The hand sketches are the main tools to experiment in the design phase, and it is an expression of inspiration, progressing work as well as intuition. In the thesis, I have explored the method by sketching on the translucent paper over a print from a digital model, and layering ideas by overlapping more litmus paper, to express and explore various ideas step by step. In the thesis, the sketches are not only served as a process and an idea bank but also as a demonstration of how the cycle functions on the site, accompanied by written texts that clearly explains the ideas generation process.

REFERENCE PROJECT AND LITERATURE READING:

The project is based on general survey and dedicated research of the current work on circular economy written by architects, consultants, and journalists. It aims to give a solid and comprehensive background of the feasibility and realistic relevance. Additionally, it could serveas fountain of ideas to support the multiple layers of the project. The reference projects that I have included in the project are classified from functional types, which are museums, recycling centers, and micro recycling facilities. Whereas the literature study covers a thought map of the book, principles that are frequently discussed, and data to further support the background of the thesis.




PERCEPTION OF THE SITE

Wuhan is the city that I have lived in through my five-year bachelor's degree in Architecture. To me, it is a city full of complex emotions and memories where I have lived through many moments that are struggling, exciting about my starting trip as an architect. At that moment, every inspection is so clear and unforgettable to me. I could not say I love every aspect of the city, maybe even more towards the opposite side because of its lack of infrastructure management. On the other hand, it is full of progress and achievements that are guided by the strong ambition of more than one million university students who lives and develops

the city. It is dynamic and lively, full of energy, but lacking management in the aspect of infrastructure, especially garbage management and recycling, which I'm passionate about. The city has a special character portrait when it comes to public building design due to its large number of highly educated young population in the workforce.

I had a project in the Iron Foundry Heritage of Wuhan during my third year of bachelor's studies. It was a fantastic process, but I did not have enough time to take on the conceptual aspect of the project seriously but instead focus on making more impressive illustrations. Regardless, I have been keeping warm, moving, and happy memories of a train journey that I took just for viewing the site from a passenger's perspective. I saw a big 1891 on one of the abandoned factory's walls, and it recorded its glory as one of the largest steel complexes in Asia, where I felt the magic of the site. It is located in the city center but has relatively low accessibility due to its desolate condition and poor planning. However, I could see its unique stature for the industrious renovation of China, and it was awarded as one of the 'Signs of China's Awakening'.



DELIMITATION

DELIMITATION

The diagram on the side shows the focus area of the thesis. Further explanations:

GEOGRAPHICAL DELIMITATION:

The project will be based at Hanyang Ironworks, Wuhan city, China. Since I have been living in Wuhan for five years during my bachelor's studies, I have access to the basic site information and context from my previous local investigation study.

AGENT DELIMITATION:

The project is based on the ongoing renovation plan for the Hanyang Ironworks into a mixed commercial and residential area. Therefore, the project has a strong connection to the future plan and previous existing building stock situation. The focus is put on interdepartmental collaboration and users within the Hanyang Ironworks, Vanke Real Estate, and Wuhan municipality. It will also include external actors like companies and NGO groups in order to prevent a top-down design structure.

The user experience design within pedagogical design methods will base on the fictitious but typical user portrait. However, the user investigation and interview will not be implemented due to pandemic restrictions.

ш

Circles mainess model scale Circular economy Recycle Ecosystem service

A system is a set of related components that work together in a particular environment to perform whatever functions are required to achieve the system's objective.

-Diella Meadows

Linear economy: outcome



Consquence on the waste management

SUPPORTING THE

OF THE NATURAL

RATHER THAN CREATING

IN THE FORM OF


LINEAR ECONOMY: OUTCOME

We leave behind an average of almost 560 kg of waste per person every year. Whether or not we want to do something about this, the tasks ahead of us are far from simple. For years, we've been hearing in the media and in the workplace about sustainability, and the various initiatives driven by individual and corporate social responsibility, such as litter-picking, selective waste disposal, or donations. While such initiatives might be capable of successfully solving one or two local problems, truly comprehensive sustainable solutions spanning multiple products

and sectors require an approach with broader horizons.

The circular economy is one that integrates the tools mentioned above, propagates them at a systemic level, and takes them to a higher level. Its objective is to cut down on waste and the use of resources through the **transformation of the products' life cycles**.






Growth economy

The traditional economic strategy values the increase of ability to produce goods and services to be the all encompassing benchmark that could be nicely summarized into an index or quantity, i.e. the gross domestic product (GDP) of a country (Acarolgu, 2018). Other factors and context such as **environmental impacts and social welfare** that could not be rigidly taken into account the benchmark of growth becomes externalities to the model of economic growth and background

noise in the mindset of policy makers back in the day. These are the costs that are willfully ignored during the calculation of traditional linear economic growth that is unjust to those who have to bear such cost, either the current or future generation. With historical hindsight, such a development strategy is definitely too singular in purpose to be sustainable, although one could also argue the long term environmental consequence could be unclear at the time.



Consquence on the waste management



Report 2. Sourcing from World bank group. (2018). What a waste 2.0-A global snapshot of solid waste management to 2050

Total quantity of municipal solid waste for G20 countries

In the past few decades, China has been mostly focused on economic growth as the benchmark for success. The stark contrast to such monumental progress is the waste produced alongside the development. As shown in the infographics, China and India are among the top municipal solid waste producer globally, as well as being the only ones that create more share of waste than the population percentage-wise globally. This indicates a grave issue that could trace back to the mono-focused growth economic development strategy. In such a mindset, environmental maintenance that takes care of long-term human welfare is more often or not in direct conflict with short-term economic growth, and the lack of such consideration has already lead to significant consequences as of late.

Construction materials dominate total materials use in 2011 and 2060 Non-metallic Biomass 🔟 Fossil Fuel 💶 Metals minerals 2011-2060 projected increase 2011 Value value Sand gravel&crushed rock Limestone BitumInous coal Structural clay Grazed biomass Wood&timber Iron ores Other crops Other non-metallic minerals Straw Copper ores Cereals Other crop residues Crude oil Natural gas Other metals Vegetables & fruit Tin ores Gold ores Other coal Coking coal Other fossil fuels Other biomass

Consquence on the material exhaustion

Construction materials dominate total materials use in 2011 and 2060

According to an OECD (Organisation for Economic Co-operation and Development) report on the global material resources outlook, the consumption of construction material is predicted to nearly double by 2060, which is alarming in terms of environmental consequence (OECD. 2018). The projection relies on the assumption that the world population surpassing 10 billion as well as the living standard of the global population would be improved to current levels in OECD countries. In particular, fast-growing developing countries that incline to promote further infrastructure construction projects could be the main contribution to such a rise in consumption. The environmental impact would mostly be caused by the extraction of various minerals, which could be severe in a global context. Therefore, the environmental awareness in architectural design could be a saving grace to counterbalance this inevitable growth that should be transformed into a sustainable and circular endeavour.

Gigatonnes

Report3. Material exhaustion prediction, sourcing from:0ECD. (2018, October). Global Material Resources Outlook to 2060

- Economic drivers and environmental consequences

CIRCULAR GROWTH









Fig 1, Design for sustainability-comparison between our linear economy and circular economy [Illustration] (Dam, 1019)

An artistic response to circular economy is portrayed in Act Two of Break Down (2001), where the artist systematically pulverized and shredded every single one of his possessions after having completed an exhaustive three-month sorting of his inventory (Sooke, 2016). At the end of this destruction, all that remained was almost six tonnes of granulated garbage. For Michael Landy, the implication was straightforward: 'if the whole world ends up with 7227 things, then we won't have a planet.'

re ed Th sh be

larger economy, of which we are all part of.

Therefore, think and reflect on yourself before you share all your possessions. There could be many better, more circular ways to deal with your clutter.



Obviously, a circular economy does not imply an end to private possessions. For most of us, it is an inseparable characteric of the experience of being alive. That being said, the global population has increased by 1.4 billion in the intervening years from then, and the consumption of resources by fast-growing economies such as China has increased at a rate of 14% per year. We could not continue on our living habit of owning and disposing of our 'stuff' in the same way as before. Through better design, the circular economy aims to keep valuable materials in use and retain more additional value from products and components. The outcome should be improved accessibility and affordability to all the love and comforts that we desire in our homes, but through a new relationship the resources that regenerates the



This constitutes a lost portion that could be returned to the economy, resulting in savings of USD 1 trillion a year in raw material usage by 2025.






Fig 2, Poster for Michael Landy's Break Down (Landy, 2001)

CARBON NEUTRAL 2060 POLICY OF CHINA

China and the circular economy In the 1990s, Chinese scholars proposed a circular economy as a new model to help China make better use of resources and energy. Since then, the model has become an integral part of the national economic strategy, and has been built upon throughout the last three Five Year Plans. The adoption of the Circular Economy Promotion Law in 2008 marked China out as a frontrunner in circular economy legislation (Jeffries, 2018).

1889





Post growth economy

1835

Today, there are four main components to China's circular economy strategy (Jeffries, 2018):

1. Circular production-to embed reducing, reusing and recycling into whole production processes

2. Circular systems of industry, agriculture and services-to follow the principle of optimising

industrial processes, greatly supporting circular production

3. Growth of recycling industry-to recycle and reuse urban waste streams, focusing on remanufacturing and renewable energy


4. Green consumption ('circular values')-to guide citizens towards smart, healthy and safe consumption.


MANIFESTO

2019)

The purpose is to study the cyclic design methods in the architectural design, focusing on three aspects: social, ecological, and material aspects in the existing building stock for renovation. The social aspects are focused on stakeholders, the circular business model, and the building's functionality. Simultaneously, the ecological aspects show a specification on rainwater collection, solar energy, and indoor biodiversity for the building stock. At the same time, the material aspects include reusing, repairing and functionalization of the material that are on-site and produced locally, as an effective medium for local context consistency.

Therefore, conceiving and adopting a sustainable development strategy have been on the agenda for Chinese authorities in recent years. Such a strategy would be circular in nature, prioritizing the reduction of pollution and recycling of waste to refuel and stabilize the economy. The grand scale adaptation into such an eco-economic cycle would require a monumental time and effort, thus contribution from each sector of society should be encouraged to promote such transition.





2016)

>>INSIDE AND OUTSIDE, SACRED AND PROFANE, SICK AND HEALTHY, NATURAL AND CULTURAL.<<

-Etienne Turpir

III CIRCULAR GROWTH TOOLKIT

Complexity among social, ecological and economical aspects


Six layers for circular growth

Architectural mining

Reference projects


20


21





COMPLEXITY AMONG SOCIAL, ECOLOGICAL AND ECONOMICAL ASPECTS














The practice of translating circular systematic design methods into renovation plans involves multiple perspectives. It is believed that architecture should not be regarded as a separate part from the ecosystem. In this particular case, the architectural design plays an even more significant role when we see the part that a desolate heritage site constitutes in the local eco-cycle and cultural context.

A method called **Eco-circular Transformation Thinking**(ECTT) is developed to view an existing building as a whole that has been integrated

into the natural and cultural cycle. The renovation is based on each layer of the site aspects: **eco-cycle**, **economic supportive system**, **building stock**, **waste treatment**, **energy flow**, **and interaction with users**.

The waste treatment consideration in the hypothesis means that the building resources are intended to be extracted from the **material bank** of the existing heritage itself rather than external sources. The six layers of renovation are supposed to create a self-sufficient future for the existing abandoned building, to transform the site from a monument for the linear past into a **manifesto for a circular future**.

EC0

- combining form

Definition of eco-

:"1: habitat or environment

ecospecies

2: ecological or environmental

ecocatastrophe"

(Merriam-Webster, n.d.)

CIRCULAR

adjective

Definition of circular (Entry 1 of 2)

:"1a: having the form of a circle : ROUND

a circular orbit

b: moving in or describing a circle or spiral

a circular staircase

2a: of or relating to a circle or its mathematical properties

a circular arc

b: having a circular base or bases

a circular cylinder

3: CIRCUITOUS, INDIRECT

4: marked by or moving in a cycle

5: being or involving reasoning that uses in the argument or proof a conclusion to be proved or


one of its unproved consequences

6: intended for circulation


a circular letter"

(Merriam-Webster, n.d.)

SIX LAYERS FOR CIRCULAR GROWTH



Circular business model integration and relevant format of business commercial activities



The Eco-circular Transformation Thinking method comprises six layers of cycles based on the respective aspects of the building heritage:

- 1. Business cycle
- 2. Pedagogical cognition for circulation
- 3. Biowaste cycle
- 4. Waste treatment cycle
- 5. Material bank reuse and design for sustainability
- 6. Eco-system sensitive landscape cycle

The project will showcase each layer of renovation method on the abandoned industrial site and see how it has and will influence the future of the industrial heritage such that it could be reborn as a museum for circular development.



Business cycle





Fig 5. Circular business model integration and relevant format of business commercial activities





BUSINESS CYCLE


Definition of business cycle

: "a cycle of economic activity usually consisting of recession, recovery, growth, and decline."


(Merriam-Webster, n.d.)



Fig 6.Different design strategies that can be used to design for sustainable behaviour(Lidman & Renström, 2011)




USER



PEDAGOGY

Definition of pedagogy : "the art, science, or profession of teaching especially: EDUCATION " (Merriam-Webster, n.d.)




The key actors in the site:


DESIGNER

- Use in control
- Motivating
- Directing
- Designer in control
- Behavior adaption
- Product adaption



Biowaste cycle





The key elements/functionalities:

- Kitchens that open onto the central courtyard
- Restaurants
- Rensidential lobbies
- Organoponicos
- Low concrete beds serviced by drip irrigation into private couryards
- Sunshine for crops

Fig 7, Biowaste and solar power supportive circ ular system, inspired from Infinite Cycle Sustainable Model (Ning, 2020)



BIOWASTE


Definition of biowaste

: "waste (such as manure, sawdust, or food scraps) that is composed chiefly of organic matter."

(Merriam-Webster, n.d.)



Fig 8.Recycling flow and integrated circular economy stratigies, inspired by Recycling flow (Acaroglu, 2020)




RECYCLE


Definition of recycle :"1: to pass again through a series of changes or treatments: such as

a: to process (something, such as liquid body waste, glass, or cans) in order to regain material for human use

b: RECOVER

c: to reuse or make (a substance) available for reuse for biological activities through natural processes of biochemical degradation or modificationgreen plants recycling the residue of forest firesrecycle ADP back to ATP 2: to adapt to a new use: ALTER 3: to bring back: REUSE" (Merriam-Webster, n.d.)






LAYER 5

Sustainable renovation cycle

PRODUCT SERVICE SYSTEMS MODELS	PRODUCER STEWARDSHIP	DEMATERIALIZATION	DISASSEMBLY	SYSTEMS CHANGE	rongenita
RECUCLABILITY	RE DAIRABILITY	TOTAL	MODULARITY	INTLUENCE	EQUITY

Fig 9.Sustainable design strategies (Acaroglu, 2021)



The key principles:

- Reusable resources
- Disasseblable
- Traceable
- Resale
- Recycling



RENOVATE

Definition of renovate

:"1: to restore to a former better state (as by cleaning, repairing, or rebuilding)


2: to restore to life, vigor, or activity :

the church was renovated by a new ecumenical spirit"

(Merriam-Webster, n.d.)




Fig 10. Ecosystem service affiliated infrastructure relating to built environment(Zari & Mainguy, 2014)




ECOSYSTEM

Definition of ecosystem
:1: the complex of a community of organisms and its environment functioning as an ecological unit 2: something (such as a network of businesses) considered to resemble an ecological ecosystem especially because of its complex interdependent parts.

(Merriam-Webster, n.d.)





The key natural exsitence:

- Greenbelt
- Building zoning
- Wildlife corridors
- Green roofs
- Green infrastructure
- Remediation
- Sensitive landscaping
- Additioon of habitat

Manual


of Recycling

Buildings as Sources of Materials

Annette Hillebrandt Petra Riegler-Floors Anja Rosen Johanna-Katharina Segge

Edition **DETAIL**

Fig 11. Urban mining design strategies, based on chapter Circularity in Architecture(Hillebrandt et al., 2019)



REFERENCE PROJECTS RELATED TO SPATIAL EXPERIENCE



Fig12. BingDing Wood Kiln Factory Renovation / AZL architects (Li, 2019)



Fig13. Concept: reuse the exsiting structure/facilities(Li, 2019)



Fig14. The Riparian House / Architecture BRIO (Huber, 2016)



Fig15. Concept: Eliminate the boundary between architecture and nature (Huber, 2016)

REFERENCE PROJECTS RELATED TO FUNCTIONALITY

Peer to peer sharing-lending marketplace	Community asset sharing and creative spaces	How to relieve technology anxiety	Circular furniture
Re-define our relationship with stuff	Tool library and sharing depot Free access to the physical building Donate and share their tools through one central location Exchange skills and knowledge, for young people, can be trained and mentored	Modular repair kit, facilities for easy repairs and upgrades	Modern living change the patterns of living and furniture cycles more rapidly Mobile workforce, 'lifestyle' industry Re-styles: logistics, cleaning, repairs, storage and making some profit

REFERENCE PROJECTS RELATED TO RECYCLING




Fig16. The interior of Smestad Recycling Center (Brodey, 2016)

FIRM: Longva arkitekter TYPE: Public> Recycling


STATUS: Built YEAR: 2015

Smestad Recycling Centre / Longva arkitekter

Smestad Recycling Center represents a new building typology, which facilitate the indoor waste handluing for the public. There is an integrated, climatised service and office building on one end of the building, with functionalities like cafeteria, changing rooms and hazardous waste management and technical rooms, whereas the other end is for the public. The plan on the right side emphasizes its most important design criteria - the operational logistics and maximal traffic flow.



WHAT I TAKE: Appropriation to the site-frame crane renovation to recycling assembly



Plan sketch to illustrate the operational logistics and maximal parking and flow

REFERENCE PROJECTS RELATED TO RECYCLING



Fig17 .The floating innovation floor (Peekstok, 2012)


FIRM: Groosman

TYPE: Commercial > Office


STATUS: Built YEAR: 2012

RDM Innovation Dock / Groosman

Floating office is the concept to reuse the disused hoisting cranes with a floating innovation floor to introduce a second useable level. The floating cubes is to follow the sustainable building strategies of disassembly, modularity and recyclabity.



WHAT I TAKE: Appropriation to the site-Hanyang iron works section



Section sketch to illustrate the disassembly, functionaluty proporties of the connection



V DESIGN PHASE: TRANSLATION & EXPERIMENT

LOCAL CONTEXT

Historical narrative of the site

34

Situation of the site

35

Site selection


57

Exsiting facilities/ structure dictionary

41

Experiment & Design attempt

43



HISTORICAL NARRATIVE OF THE SITE



Establishment

The blast furnace of the Hanyang Iron Plant started smelting and the iron plant was completed and put into opesration, marking China's awakening.

Development

During the First World War, the demand for steel increased, and Hanyang Iron Works ushered in a short-lived boom and became a world-class steel company. Its products were sold all over the world and Hanyang Iron Works was booming.

Dilemma

During the Second World War, the equipment in the factory was moved to Chongqing, and the remaining equipment was blown up during the conflicts surrounding the area.

Hanyang Iron and Steel Plant is reformed, which was placed under the management of Wuhan Iron and Steel Group, and Hanyang Iron and Steel Plant re-emerged, and develop quickly.

Success

Transformation

The main part of Hangyang Iron Works move to other area, which is facing the functional transformation with a new settle of museum called Zhidong Zhang and HangYang Iron Museum.

Industrial heritage


The converter workshop was rated as a cultural relic protection unit by the Municipal Bureau of Culture and listed as a first-class industrial heritage.



Protection planning

In the "Wuhan City Industrial Heritage Protection and Utilization Plan" approved in 2013, about 25 hectares of land of the Hanyang Iron and Steel Plant was designated as an industrial heritage construction control area.






Surroundings of the Hangyang Ironworks

The Hangyang Ironworks is the diamond-shaped **industrial complex** at the center of the map. The site of this project is located at the southern tip of the complex, where **a few warehouses and railway tracks** are constructed. There are multiple entrances into the complex either by road or railway. The complex is covered in natural foliage and surrounded by operational railways, dense population residences as well as agricultural areas.


Sketch of the site

The sketch provides a better understanding of the layout of the site, including the relative scale and position of the facilities available for renovation, possible **transport options and access points**, as well as an eagle-eyed viewed overlook impression.

Section of the site



1-1 section view (Crosscut section through frme crane)




2-2 Sectional drawing (longitudinal section of the frame crane and gate crane)

SITUATION OF THE SITE

There are versatile remaining facilities on the site, like chimneys, abandoned rail tracks, and many old factories are functioning as warehouses. In the project plan, I will select one of the warehouses as my site and plan to complete a master plan for the whole park to be the center of a circular economy. In recent years, the municipal party committee and government have developed scientific urban development planning and overall planning of the industrial layout to promote industrial upgrade, reform, and development. Moreover, formulation of industrial heritage protection plans has been drawn, including better protection and utilization of steel industrial, cultural heritage for increasing urban charisma.

It's crucial to know and understand what resources and materials are available on-site in order to optimize their usage in a renovation project, thus a survey is conducted for this purpose.




Evaluation of existing facilities
In such a study, the details of existing facilities are gathered and summarized in a table, including the functionalities, year of construction, structural elements, and physical dimensions. Each of the said facilities is then evaluated on four scales: historical significance, artistic value, social impact, and technical complexity. For a better comparison between different facilities, a comprehensive index is listed the sums up the values across various categories, which provides more insights for the decision-making process in the later design phase
2013
Protection planning
Industrial Heritage Classification Comprehensive Score Sheet (Based on "Wuhan City Industrial Heritage Protection and Utilization Plan",2013)
cast iron
Light steel frame


Precast frame

Brick and concrete











Physical dimension



- 1. Transfer workshop
- 2. Frame crane
- **3.** Gate crane
- 4. Abandoned warehouse
- **5.** Abandoned Train and trail




The selected building position

The building we are going to transform is the original transfer workshop, built in 1960, which has the comprehensively highest **historial**, **artistic**, **social and technical value** of the whole factorial areas. The size of it is 5208 m², with one layer height of 12 meters, and structured by cast iron and light steer framework. The building has a high preservation value, and several **original facilities** such as weightlifting and production flow machines has been still, which could be important thread to think about **reuse and renewal**.

The selected site area


Surrounding the workshop, there are close connection to a **railway and crane facilities** abandoned as a wild garden at current stage. The building has a close connection to the natural elements within a walking distance, and transparency, to the viewscape of the **succession** of the natural park. The railway has grown as a partly **eco-duct** of the urban ecosystem, and the wilderness has played a particular ecosystem service provider.

EXSITING FACILITIES/STRUCTURE



An bird eye view for the site and dynamic scenario

EXSITING FACILITIES/STRUCTURE




Vison for ecological succession




Spare field



Train and Railway



Frame crane



Abandoned warehouse




Frame crane



Gate crane


EXPERIMENT



Re-introduce


traditional

Collages



current situation On top of the collage are four cycle images to show four different natural aspects from bio cycle, water cycle, heat cycle and activity cycle. It shows how the building section connects to the external space, and how to break the facade of the building to emerge the workshop into one part of ecosystem service of the whole area. The drawing is shown as the preface to dig into multiple and complex layers of cycles on the site, and question on what circular economy could inspire us on the landscape and architectural design.


Conceptual modelling



Analogical Modelling of conceptual renovation operations: the possible design proposal on the transfer workshop

In this phase, several wood branches are used to illustrate the exciting structure of the transfer workshop. The horizontal wooden bemas are the symbol of weightlifting facilities thant has a special connection to other spaces. In the center portion, there are three archs which identifies that the transfer workshop has three different height with different possible utility layers as well as the relationship and rhythm of the spaces. On the bottom, there are several placed stones that represent the machines and existing furnaces. The sketches on top of the photo of the model are the inspiration gathered after the physical modelling and it shows the functional manifestation of the building. On the left side, where the highest layer is located, there is presumed to be a manufacturing space. In the middle, there could be a circular shopping center. The repair functional unit is await to be set On the right side.

MODELLING



Another design attempt on the transfer workshop

This drawing on top of the same physical model photo is another design attempt with a specific focus on the manufacturing process and original workflow of the site. It shows how the goods could be lift up by the weightlifting facilities and it has a horizontal order from left to right that is: goods entrances(first floor) + guest entrance(third floor)-workshop(interaction) - lectural hall. Considering the previous design proposal, it shows an interesting combination altogether:

Left: entrance + manufacture

Middle: workshop + circular shopping mall

Right: lecture hall + repair space






The anallogical simulation of manufacture space and external space

The connection to the natural and external elements is the crucial point of the spacial recycling experiential museum. The drawings illustrate that the outline framework of the crane that moved from the original site to the southern side of the transfer workshop. The wooden sticks aligned on the ground are the same as the manufacturing space that has a open connection to the landscape.




Design attempt



Perception is by sketch on an expansive workshop operation, and be given the observation about combining recycling functionality with the outdoor spaces as public area and be more pedagogical and inviting for citizens to use the space.


Design attempt





The internal space and external space of the design proposal

The graph shows different parts of the design and how the conceptual functionality graph steps further into a spatial morphology as visualized on the surface, This sketch is a design manifestation stage to find more form language to speculate each functional diagrams before. From this stage, we will layer our design into six cycles to dig into the complexity of the renovation, recycling, publicity and ecoservice issues.


V DESIGN PHASE: TRANSLATION & EXPERIMENT
























IV DESIGN PROPOSAL













————— Original facilities

Added equipment for recycling



ECO-WASTE CYCLE LAYER



Water and Land Exchange Syste- Sangji Fsih Pond Model

Objectives:

Food
Species habitat
Microclimate
Local air quality
Noise reduction
Binding of carbon and carbon dioxide
Buffer for extreme weather events

Erosion protection and preservation of fertile soil Wastewater treatment and reduction of storm-water

flow


Pollination


Biological pest control


Increased value of real estate

Tourism

Education







show respect to nature and time.

LAYER 5 Sustainable renovation cycle

Fig. Sustainable design strategies retrieved from: https://medium.com/disruptive-design/quick-quide-to-sustainable-design-strategies-641765a86fb8






Fig. Built environment drivers of biodiversity loss. retrieved from: Maibritt Pedersen Zari, "Ecosystem Services Analysis in Response to Biodiversity Loss Caused by the Built Environment", S.A.P.I.EN.S [Online], 7.1 | 2014, Online since 12 November 2014, connection on 26 April 2021. URL: http://journals.openedition.org/sapiens/1684

ECOSYSTEM SERVICE LAYER




ECO-WASTE CYCLE LAYER



Purpose:


- For building: offer extra insulation, wind break and reduce temperature fluctuations.
- Reduce the need for heating and cooling during extreme weather during winter and summer.
- Improve air quality.

Performative buildings Green roofs could be designed to offer nesting sites for wild bees. South facing brownfields, in this case, exposed gravel and sand, are potential nesting sites for many species of wild bees, some of them red-listed. Vegetation on the roofs, especially of flowering perennials like shrubby cinquefoil and orpine, could facilitate movement and offer foraging. Flowering plants on walls and roofs promote pollination. Putting up hollow sticks (e.g. short bamboo sticks) on the walls supply nesting sites for many wild bees. An uneven wall surface also acts as a wind break, creating lee zones closest to the climate shell and thus reducing the need for heating inside the building. Sunny yards should have a continuity of flowering shrubs and plants, as well as vegetables, fruits and berries requiring pollination (e.g. squash raspberry and apples)(Barthel, 2013).




EVALUATION


Zero emission architectural model




 	Old Building		Newly built build	ding	Outdoor facilities	L L	andscape urbanis	m	Exterior	I I I
	WATER ELCTRICITY	← →>	REUSE OF MATERIAL	← →	MODULARITY DISMANTLITY	<>	SUSTAINABLE FUNCTIONALITY	<>	MICROCLIMATE OPTIMIZATION	
FECHNOLOGY	Understand the machanism and component of the original facilities and make full		Avoid binders, but if necessary, use binders that are dissolvable.		To accurate the use of dismantable conjunction details, the slab	\$ \frac{1}{2} \fra	Appropriate new function for old facilities and structure for reuse and		The integration of techs with natural resources like solar energy and	LED
 	use of them circularly.	Machanism	 	Dissolvable	could be easier reused,	Disassembly	pedagogy.	Appropriation	rain water to circulate a flow.	Natural
ONSTRUCTION	Re-introduce traditional daylight, ventilation and heating system		Study about the machanical joints for easy assembly and disassembly, and		Create a component when the composition of elements		Regard the 'museum' as the life-cycle records of the building.		When the rain water drainage exposed on the ground, it could nutrient the eco-	
 	for awareness.	Craft	start to refactor.	Pofactor		Component		Records	system service with biodiversity.	Biodiversit
MATERIAL	Adding new flows from the reuse of facilities and cleaner energy		Reuse the material on the site and transformed to be new form in		To make each panel module, the manufacture of the material could be more		The material that has been recycled could be manufactured to be different side-	国 加	The building stock is as material bank to provide new composition	
 	for pedagogical purpose.	Synergy	the renovation project.		organized and re- structured.	State	product to enrich the system.	Side- product	to a new-built building with context.	Compose
USE	Adding new flows from the reuse of facilities and cleaner energy		The reuse and re-positioning if existing facilities on the site is		The material could be easier to be transformed and repaired by the techs of	€	Clearer waste management requires a sorting signal to inform and educate		The placement of landscape infratructure is to build share platform	
 	for pedagogical purpose.	Bio-waste	introduce new functionality.	Re-position	prefabrication.	Prefabrication	about the benefits of recycling.	Signal	between nature and human.	Share
IAINTAINENCE	Establish repair office with familial works on the site circularly.	r KZI	To circulate the material upcycling could be a positive factor.		The replacement of material that could be made on site.		The interaction mode could be more benefical to strenghthen publicity.	(?→ @	The wetland by rainwater provides new biodiversity.	
 		Repairation		Upcycle		On-site		Interaction	 	Biodiversit


IV DESIGN PROPOSAL

























V DESIGN PHASE: TRANSLATION & EXPERIMENT

REFLECTION	Rendering	71
	Discussion	75
	Reflection	77
	Reference	75



Line drawing of the final design bird-view perspective


The curling bicycle path is across the frame crane to set a sky corridor to have a view of the recycling hub and the surrounding landscaping. Under the sky corridor is the garbage and goods collecting and sorting space, along with the incubators that have transformed from the upcycled material on the site. The trail is set as a conveyor belt to take the round trip from the transfer workshop to the recycling crane assembly. It has dynamic accessibility and flexibility while the functionality and spatial configuration of thesis architectural components change along with the moving train.





From the meadow to see the gate crane as the entrance of the transfer workshop


The view has captured the moment the train arriving at the gate crane, where it could unload the goods and staffs to the workshop. The visitors will climb up to the third floor of the workshop, while the goods and materials will be sent to the ground floor waiting for remanufacturing and artistic processing.





The wetland collecting rainwater from the rooftop, rain-interior garden, running surface stream as a purification pond


This scene shows the seasonal changes while the monsoon weather would come with a rainstorm, the rainwater on the site is sponged in the green foliage of the site to converge into the wetland area. The wetland is to alter the drainage pipe underneath the ground and expose to increase the ecosystem service function for increasing both biodiversity and landscape richness.





The round trip to the recycling hub and recycling crane assembly from the transfer workshop by train

The frame crane is transformed into a recycling assembly consists of a recycling hub with an exposed upcycling process, collecting and sorting hub, incubators, and a sky corridor for bicycles and pedestrains who have finished recycling to take a stroll into visiting the hub. The intention to create the diversion of people is to create a more interactive atmosphere for visualizing and collaborate in the recycling process.





Underneath the bicycle sky corridor are the recycling assemblies for incubators and garbage sorting

The curling bicycle cast a good shade on the ground which provides a dynamic lighting environment to share and interact within the recycling assembly. On the side is the railway trail to cooperate with the weight lifting facilities of the crane to move goods and containers. People could enjoy the recycling process and take few steps up to the sky corridor to take the tour to the recycling hub and join in the pedagogical space of the open upcycling facilities.

DISCUSSION

Architecture follows landscape

It has been a long journey since I choose forest typology as the primary tool to understand the complex system in the built environment. The landscape's vertical layering and flat terrain deepen my understanding of the ecosystem, whether it's for an ecological or architectural world. So from this on, as an architect, I could not hold my thought back to exceed the context of the building itself and see architecture as part of the landscape's ecosystem.

When we use the word "follow," we would quickly remind ourselves of the famous motto "architecture follows function" from Louis Henri Sullivan. However, we could say the landscape is to manifest that it is no longer just the accessory of building. The boundary of the indoor and outdoor has immersed and disappeared permanently. The landscape has been limited largely by the unpredictable climate and terrain, but added more wilderness and uncertainty on the other hand. As human beings, we live in houses for privacy and safety. Gradually, every dwelling and public space turns to be the same of priorities that diminish our feeling of uncertainty and wilderness.

If we could stand on the ground of the roughness of the industrial remnant at this moment, we would like to be more pedagogical for awakening people of not only those glory of the times passed, but also a concern for the environment, and the empathy for the fate of mankind, we do need to reconsider the value of the wilderness and uncertainty. My answer will be to break down the boundary of the ruined wall and wild meadow, to extend and eventually mold those into one.

The working site of my choice has the tracks of a rough but wild ecological succession that has came and gone, as seen on the rust of the existing facilities. To make the building part of the larger discourse of the urban ecosystem, we would need to create more spaces for nature in the building. In particular, this could be achieved by adding a green roof and façade, cantilevered greenhouse, and interior rainwater garden; exposing the rain drainage to be a stream inside the building; and extend it to the outdoor landscape. Architecture could be the reverse extension of nature, as it has been captive just for the time without humans.

Ecological circularity

The circularity highlighted in the economic aspect has been focusing on real estate development, especially the building itself. There are many principles to mention, like disassembly, modularity, and longevity across the life span of the building. However, the circular economy has more context than just looking into the life span and sustainability of the building design tactics, but circularly, to landscape, even ecosystem scope. Nature has told us how to be circular. The plants get nutrients and eventually turns into spring mud for the next generation. The building is like a tree that could not be separated from the natural elements nearby, but it connects to every pulse, every movement following the change of seasons like the landscape itself. Architecture deserves the freedom of breathing, like how our human beings are symbiosis with buildings that we are fused and combined with. The natural elements that have been separated by the façade of the building are in call of taking back and let rainwater, sunshine, and wind come again.

Especially in the climate of subtropical monsoon in Wuhan, the urgent demand has been proved by the long tradition of patio and overhead layer in the wooden framework in the traditional designs. However, with the advancement in technologies, lots of effort has been put forward to make people feel convenient. In contrast, the natural, passive, and symbiosis with nature and surrounding have been ripped apart and dismissed altogether. Today, it is time to rethink the meaning of convenience, how

DISCUSSION

strong the feeling has taken us away from other species, other natural existence, and the spirituality of life. The ways we look for better solutions or technics for realizing the interior circularity and making architecture along more self-independent and self-sufficient are not enough. In a way, it needs a more diverse connection between the building and its surroundings.



REFLECTION

Design as testbed

The way I mention design as a testbed may sound bold and ambitious. It is my essential understanding and take-away from the process of thesis writing. In the beginning, I consider the design proposal as the results. That puts me down to the tangled situation of whether or not I should focus more on the research part or the design part. At the beginning of thesis writing, they are fragmented. During the later phase, I finally wake up to understand the design is like a translation recording every information we collected from the process, and it is like integration and manifestation. While we research, finding the proper way to align the data and array similar properties while specifying those particular elements that are essential. The way we conduct research is the consequence of how we present our analysis; that is why we need to examine our way of analyzing and mapping the information.

Sketch as manifestation

Sketch has been my tool to perceive the world and express my own feeling for almost 20 years, since the first time I pick up the paintbrush. It is a sensitive, flexible, fragile but versatile tool that could easily follow the mind in real-time. The mind has two thining models; one is divergent thinking, the other is systematic logic linear thinking. The former has been proven to have a closer relationship with creativity, imagination, and joy, which is in the designer's need. I have been exploring many ways to help with divergent thinking, like computation, algorithm, and digital expression; however, they are helpless when I want to find the spark of inspiration. Finally, through the thesis writing, I realize the sketches could be the best spark, exceeding its original meaning of tool and inspiration and spark itself. With pen, and paper, the thoughts hidden and intertwined in mind could be manifested and developed. So, as an experimental expression, I tried to write and draw every graph of design proposals as sketches from my hand and heart. It has been of great help to help me reach out to reality and liberate my thoughts and imagination.

Self-acceptance brings with creativity

It is an ongoing reflection, for myself and for everyone and every moment that inspire me constantly. The writing process has witnessed the resilience of my self growing and the project systematic context. Though I have tackled so many incidents like surgery and tears after that, I have regained my capacity of production with the encouragement from everyone I encountered and every time i reopen the sktches paper, the splendid calmness captured me. The secret, I could write down here is that: do not be afraid of fear, prepare for the worst situation, you will know life has never assured a best result but only expereience that makes you become superior to your previous self.



REFERENCE

Literature

Acarolgu. L. (2018). *Circular system design, a toolkit for the circular economy.* New York, United States: Disrupt Design LLC.

A., & Whitefield, P. (2012). *Permaculture Design: A Step-by-Step Guide* (Illustrated ed.). Permanent Publications.

Baker-Brown, D. (2017). *The Re-Use Atlas: A Designer's Guide Towards the Circular Economy* (1st ed.). RIBA Publishing.

Barthel, S. & Kungliga Tekniska högskolan. Skolan för arkitektur och samhällsbyggnad. (2013). *Principles of Social-ecological Urbanism. Case Study.* School of Architecture and the Built Environment.

Bratman, G et al.(2019). *Nature and mental health: An ecosystem service perspective.* Science advances, 5(7), eaax0903. https://doi.org/10.1126/sciadv.aax0903

Braungart, M. (2002). *Cradle to Cradle: Remaking the Way We Make Things* (1st ed.). North Point Press. Burnett, G. (2021). Permaculture (2Rev Ed). Spiralseed.

Fifield, B., & Medkova, K. (2016). *Lahti CleanTech Annual Review*. Lahti University of Applied Sciences. https://doi.org/10.1080/21681015.2016.1172124

GXN Innovation, 3XN Architects, MT Højgaard, VIA Byggeri, Kingo Karlsen, Vugge til Vugge Danmark, &

henrik•innovation. (2018). *Building a Circular Future* (3rd ed.). KLS PurePrint.

Hillebrandt, A., Riegler-Floors, P., Rosen, A., & Seggewies, J. (2019). *Manual of Recycling: Gebäude als Materialressource / Buildings as sources of materials* (DETAIL Construction Manuals) (1st ed.). DETAIL.

Lacy, P., & Rutqvist, J. (2015). Waste to Wealth: The Circular Economy Advantage (1st ed. 2015 ed.). Springer.

Landy, M. (2001). *Break Down* [Poster]. Artcritical. https://artcritical.com/2018/03/01/leo-walford-on-michael-landy/

Merraim-Webster, A. (1989). *Merriam-Webster Dictionary*. A Merraim-Webster.

Modak, P. (2021). *Practicing Circular Economy* (1st ed.). CRC Press.

Schwab, K. (2017). *The Fourth Industrial Revolution* (Illustrated ed.). Currency.

Totten, C. W. (2019). Architectural Approach to Level Design: Second edition (2nd ed.). A K Peters/CRC Press.

Youngblood, M., Chesluk, B. J., & Haidary, N. (2021). *Rethinking Users: The Design Guide to User Ecosystem Thinking.* Laurence King Publishing.

Web sources

C/O City. (2019, August 13). *Urban ecosystem services*. https://www.cocity.se/om-oss/urban-ecosystem-services/

Jeffries, N. (2018, June 16). *Circular economy in China: six examples.* Medium. https://medium.com/circulatenews/circular-economy-in-china-six-examples-2709982763f2

Innovations made of steel | thyssenkrupp Steel. (2020). *Thysenkrupp*. https://www.thyssenkruppsteel.com/en/innovations/innovations-overview.html

OECD. (2018, October 22). Raw materials use to double by 2060 with severe environmental consequences. OCED.Org. https://www.oecd.org/environment/raw-materials-use-to-double-by-2060-with-severe-environmental-consequences.htm

Selvefors, A., & Renström, S. (2018). *Design for Sustainable Behaviour*. Sustainability Guide. https://sustainabilityguide.eu/methods/design-sustainable-behaviour/

Sooke, A. (2016, July 14). *The man who destroyed all his belongings*. BBC Culture. https://www.bbc.com/culture/article/20160713-michael-landy-the-man-who-destroyed-all-his-belongings

Figures

Unless otherwise stated, figures and images belong to the author.

Acaroglu, L. (2020, May 27). *Recycling flow* [Illustration]. Disruptive Design. https://medium.com/disruptive-design/quick-guide-to-sustainable-design-strategies-641765a86fb8

Acaroglu, L. (2021). Sustainable design strategies [Illustration]. Remote Design Newsletter. https://cdn.substack.com/image/fetch/f_auto.q_auto:good.fl_progressive:steep/https%3A%2F%2Fbucketeer-e05bbc84-ba3-437e-9518-adb32be77984.s3.amazonaws.com%2Fpublic%2Fimages%2Fc3b79a48-2fbd-42a3-9e1eca5e543c13e6_1000x684.png

Brodey, I. (2016, April 21). *The interior of Smestad Recycling Center* [Photograph]. Archidaily. https://www.archdaily.com/785900/smestad-recycling-centre-longva-arkitekter-photo

Dam, L. (2019, May 3). *Design for sustainability-comparison between our linear economy and circular economy* [Illustration]. TU Delft. https://d2k0ddhflgrk1i.cloudfront.net/ processed /4/2/csm design-forsustainability 30fffb16a1.png

Huber, A. (2016, March 9). *The Riparian House / Architecture BRIO* [Photograph]. Archidaily. https://www.archdaily.com/783402/house-by-a-river-architecture-brio-photo

Li, Y. (2019, July 6). *1F working space* [Photograph]. Archidaily. https://www.archdaily.com/918469/bingding-

 $\frac{wood-kiln-factory-renovation-azl-architects/5cf4eead284d}{d10e5f0000ee-bingding-wood-kiln-factory-renovation-azl-architects-photo}$

Lidman, K., & Renström, S. (2011). *Different design strategies that can be used to design for sustainable behaviour*. [Illustration]. Sustainability Guild. http://sustainabilityguide.eu/wp-content/uploads/2018/05/Design-for-sustainable-behaviour.jpg

Ning, H. (2020, August). *Infinite Cycle Sustainable Model* [Illustration]. Hugoning.Com. https://images.squarespace-cdn.com/content/v1/59039899e3df2823162e1566/1496637314486-F0D772SXHXARQUH5J801/ke17ZwdGBToddl8pDm48kDHPSfPanjkWqhH6pl6g5ph7gQa3H78H3Y0txjaiv_0fDo0vxcdMmMKkDsyUqMSsMWxHk725yiiHCCLfrh801z4YTzHvnKhyp6Da-NYro0W3ZGjoBKy3azqku80C7-89l0mw0NMR1ELp49Lyc52iWr5dNb1QJw9casjKdtTg1_-y4jz4ptJBml9gQmbjSQnNGng/image-asset.jpeg?format=2500w

Peekstok, T. (2012). *The floating innovation floor* [Photograph]. Architizer. https://architizer.com/idea/1275803/

Peters, E. (2019). *Nature* [Photograph]. Discovery. https://discovery.cathaypacific.com/wp-content/uploads/2017/08/Hero-Heritage-China-1.jpg

Tuchong. (2016). Withered factory [Photography]. Https://Tuchong.Com/. https://www.bing.com/images/blob?bcid=RJFa-kOalMsCq9J6EuuMH7Agxu7q.....5s

Tuchong. (2017). *Transfer workshop* [Photograph]. <u>Https://Tuchong.Com/. https://www.bing.com/images/blob?bcid=RMmllunBXssCq9J6EuuMH7Aqxu7q....xl</u> Tuchong. (2018). *Abandoned train* [Photograph]. Https://Tuchong.Com/. https://www.bing.com/images/blob?bcid=RBoR8bz0ZcsCqxcxoNWLuD9SqbotqVTdP28

Zari, M., & Mainguy, G. (2014, July 1). *Built environment responses to biodiversity loss* [Illustrationn]. <u>Https://Journals.Openedition.org/. https://journals.openedition.org/sapiens/docannexe/image/1684/img-2-small580.jpg</u>

Report and data

OECD. (2018, October). Global Material Resources Outlook to 2060 – Economic drivers and environmental consequences. https://www.oecd.org/environment/ waste/highlights-global-material-resources-outlookto-2060.pdf

Smith, N. (2019, July 10). *US Tops List Of Countries Fuelling The Mounting Waste Crisis*. Verisk Maplecroft. https://www.maplecroft.com/insights/analysis/ustops-list-of-countries-fuelling-the-mounting-waste-crisis/

World bank group. (2018). What a waste 2.0-A global snapshot of solid waste management to 2050. https://openknowledge.worldbank.org/handle/10986/2174



RENEWAL MONUMENT

From the circular strategies to heritage renovation

© 2021 Huizhong Cao Chalmers University of Technology, SE-412 96 Göteborg, Sweden 2021

Examiner: Joaquim Tarraso, Architect SAR/ MSA & COAC, Director of Master's Programme in Architecture and Urban Design (MPARC). joaquim.tarraso@chalmers.se

Supervisor: Emílio da Cruz Brandão, Director of master's programme Architecture and Planning Beyond Sustainability(MPDSD) brandao@chalmers.se

